

State of Alaska Department of Fish and Game Nomination for Waters Important to Anadromous Fish Hawkins 12

| AWC Volume SE SC) SW W AR IN USGS Quad Cordova C-6 | | | | | | | | | | |
|--|--|------------------------------|----------------------------|-----------------------------|--|--|--|--|--|--|
| Anadromous Water Catal | og Number of Waterway | , 228. | -30-18 | 18534 334 | | | | | | |
| Name of Waterway | cal name | | | | | | | | | |
| Addition V Deletic | K . | | | - | The state of the s | | | | | |
| | | | | | | | | | | |
| Nomination # 94 204 Pegtonal Supervisor Date | | | | | | | | | | |
| Nomination # | 1/18/94 | | | | | | | | | |
| Revision Year: | ervisor | | | | | | | | | |
| Revision to: Atlas | is. | | | | | | | | | |
| | Mil | 2/9/94 | | | | | | | | |
| Revision Code: | A-2 | | Draft | Date | | | | | | |
| | | | | | | | | | | |
| | OBSERVATION INFORMATION | | | | | | | | | |
| Species Pink Salmon adults | Date(s) Observed | Spawning 50 | Rearing | Migration | Anadromous | | | | | |
| ina Salmon adults | 0129193 | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| Provide any clarifying survey data, etc. Attemap showing location identified for spawning | tach a copy of the fis of mouth and upper p | sh survey da points of ea | ta, if avai ach species | lable. Atta , specific : | ch a copy of a | | | | | |
| Comments: | | | | | | | | | | |
| Approximately 50 adult pink salmon were observed in this mainstem | | | | | | | | | | |
| segment. Fish survey data are attached Original data forms are stored at | | | | | | | | | | |
| Anchorage ADFG Div. of Habitat and Restoration, office of Mark Kuwada. | | | | | | | | | | |
| Data collected by foot survey. Upper extent of pink salmon adults is at | | | | | | | | | | |
| the barrier which is a 1 meter high falls. The barrier is about 400-500 | | | | | | | | | | |
| meters from the stream mouth, Channel width at mouth and barrier is I meter, Gradient is 301 | | | | | | | | | | |
| Name of Observer (ple | ALASKA DEPT. OF FISH & GAME | | | | | | | | | |
| Date: 10-4-93 | NOV 0 3 1993 | | | | | | | | | |
| | REGION II | | | | | | | | | |
| Signature of Area Bio | Rev. 12/91 | | | | | | | | | |

| STDEAM HADITAT ASSI | ESSMENT 1007 CTREAMS |
|------------------------------------|--|
| | ESSMENT 1993 - STREAMS |
| | OUAD: Cardous C-6 STAGE: H MO |
| (//74/47 | 7 Tatitlek Pt. Graham English Bay (circle on 1 ZONE: |
| SKETCH (indicate UTM zones, if not | uniform throughout the stream) |
| N | |
| | |
| 1 11 | μ |
| 25 1 | |
| A Paris A | 63 |
| THE AMERICAN | kins 11 |
| lagoon 12 | Committee Commit |
| 15 02 | |
| i Citi | * |
| 本 本 本 | flassed |
| * * * * * * * * * | flassed |
| * 11 | F |
| × 1) | |
| 1 8 | 本 |
| * ~ | A |
| 1 | (fails (Im) |
| K | Slagged |
| | |
| | 1714 |
| PHOTO ROLL(s): | VIDEO TAPE(s): WG) |
| FRAME DESCRIPTION | DATE 824 mid seg. |
| Ey week. | Mary mia seg. |
| | - |
| Please enter comments on the other | |

| | | | | | | \sim | | | | |
|---|--|---------|-------------------|----------------|----------|-----------------------------|---------|----------------|--|--|
| Control Control | STREA | M H | ABITAT | ASSES | SSMEN | IT 1993 | - SEC | GMENTS * | | |
| ANADR | OMOUS: On | WIDTH | (m): <u>/</u> | L LE | NGTH (m) | DATE: GPS ertidal other : | DATE: B | TEAM: JB/DG | | |
| | | FISH | | | | WILDLIFE | | | | |
| SPECIE | STAGE | | METHOD (E V D) | COMMENT | s | SPECIES | COUNT | COMMENTS | | |
| parks | A | 50 | V | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| CHANNEL PATTERN: single multi braided STREAM SUBSTRATE: BEDROCK BOULDER RUBBLE COBBLE COBBLE GRAVEL SAND MUD/SILT ORGANICS OTHER: STREAM COVER TYPE: ORGANIC DEBRIS DEAD BRANCHES/TWIGS LOGS BOULDERS CUT BANK OVERHANGING VEGET OTHER: STREAM COVER ABUNDANCE: none low medium high RIPARIAN VEGETATION (three most abundant plants in order of dominance) within 20m of the banks: OVERSTORY: HEM_G C K | | | | | | | | | | |
| TOTAL BARRIER? (y) n BARRIER TO SPECIES: p'in/4 adults juveniles TYPE: (G) slide beaverdam logiam spring substrate HEIGHT (m): / DIST. FROM UPPER EXTENT (m): | | | | | | | | | | |
| PHOTO ROLL(s): 3804 | | | | VIDEO TAPE(s): | | | | | | |
| | [25] (120) (| | | DATE | | DESCRIPTIO | N . | | | |
| 5 | Plak salmor | n:d | signel | 1 | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| Substro | ite: Bedrock | (solid) | Boulder | >1' Rubbl | le 6-12" | Cobble 2-6" | Gravel | 1-2" Sand < 1" | | |
| /Diagon | Substrate: Bedrock (solid) Boulder >1' Rubble 6-12" Cobble 2-6" Gravel .1-2" Sand <.1" | | | | | | | | | |





MEMORALDUM

State of Alaska

DEPARTMENT OF FISH & GAME

To: Ed Weiss

DATE: November 3, 1993

Habitat Biologist

Region II

FILE NO.:

Habitat and Restoration Division

Department of Fish and Game TELEPHONE NO.: 267-2295

SUBJECT: Anadromous Stream

Nominations and Corrections

Project R-51

Kathrin Sundet FROM: Habitat Biologist

Region II

Habitat and Restoration Division

Department of Fish and Game

Attached are anadromous stream nominations and corrections to be included in the Anadromous Waters Catalog for 53 streams surveyed in the fall of 1993 on private lands held by the Tatitlek and Eyak Native Corporations in northeast Prince William Sound.

Streams were surveyed by the Alaska Department of Fish and Game. Habitat and Restoration Division personnel, Kathrin Sundet, Jeff Barnhart, Dan Grey, and Wes Ghormley as part of Exxon Valdez Oil Spill Restoration project R-51 aka SHA (Stream Habitat Assessment).

Streams were surveyed on foot from the intertidal zone to the upper extent of anadromous fish distribution. Adult salmon and Dolly Varden were visually identified and enumerated. Juvenile salmon were visually identified in the stream, and then captured electroshocking, dipnet, or minnow trap to confirm identification. Sampling was conducted periodically along the stream to determine the presence of juvenile salmon. No attempt was made to determine the rearing population sizes of juvenile salmon, or to determine the total escapement of adult salmon in a stream.

Stream data are on file at the Alaska Department of Fish and Game, Habitat and Restoration office, 333 Raspberry Road, Anchorage, Alaska.

There substantial discrepancies among shorelines on the USGS quad sheets, the DNR shoreline, and observed shorelines in this area. In some cases I have attached enlarged plots generated from GPS data and the DNR shoreline to the nomination form in order to illustrate the differences.

Attachments

cc w/o Attachments:

Lance Trasky Don McKay Mark Kuwada